

Introduction

This appendix includes a number of tables and figures that have been excluded from the main report, including tables on which figures included in the report have been based. As such the appendix is supplementary to the report.

- A.1 Crude death rates per 100,000. Men and women, Scotland, 1980-2002.
- A.2 The distribution of population and deaths, in numbers and percentages, by age and sex. Scotland, 2001.
- A.3 Composition of regions in terms of Local Government Districts (including part districts).
- A.4 Age and sex structure of the Scottish population, Scotland, 1981, 1991 and 2001.
- A.5 Age standardised all cause death rates per 100,000 population. Men and women, Scotland, 1980-2002.
- A.6 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.
- A.7 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.
- A.8 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.
- A.9 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.
- A.10 Age standardised all cause death rates per 100,000 population by local council areas. Men and women aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.
- A.11 All cause standardised mortality ratios in council areas. Men and women aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.
- A.12 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92 and 2000-02.
- A.13 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92 and 2000-02.
- A.14 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92 and 2000-02.
- A.15 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92 and 2000-02.
- A.16 Age standardised death rates per 1,000,000 population from chronic liver disease and from mental and behavioural disorders due to use of drugs. Men and women, Scotland, 1980-2002.
- A.17 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 1980-82.
- A.18 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 1990-92.
- A.19 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 2000-02.
- A.20 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 1980-82.
- A.21 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 1990-92.
- A.22 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 2000-02.
- A.23 Standardised mortality ratios for deaths from ischaemic heart disease (IHD) and lung cancer in council areas. Men aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.
- A.24 Standardised mortality ratios for deaths from female breast cancer (women aged 0-64) and chronic liver disease (men aged 0-64) in council areas. Scotland 1980-82, 1990-92 and 2000-02.
- A.25 Standardised mortality ratios for deaths from suicide and assault in council areas. Men aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.

- A.26 Percentage of men allocated social class at the 1991 Census and percentage of men and women allocated social class on death records 1990-92.
- A.27 Percentage of men and women allocated NS-SEC at the 2001 Census and on death records 2000-02.
- A.28 Female age specific death rates per 100,000 population for each social class. Scotland 1990-92.
- A.29 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each social class group. Men aged 20-59, Scotland 1990-92.
- A.30 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each social class group. Men aged 20-59, Scotland 1990-92.
- A.31 The percentage distribution of NS-SEC categories among women. Figures are percentages within each age group. Scotland 2001.
- A.32 The percentage distribution of NS-SEC categories among female deaths. Figures are percentages within each age group. Scotland 2000-02.
- A.33 Age specific death rates (per 100,000 population) for each NS-SEC category for women. Scotland 2000-02.
- A.34 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each NS-SEC category. Men aged 20-59, Scotland 2000-02.
- A.35 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each NS-SEC category. Men aged 20-59, Scotland 2000-02.
- A.36 Cause specific age standardised mortality (per 100,000 population) within each NS-SEC category. Women aged 20-59, Scotland 2000-02.
- A.37 Age standardised mortality (per 100,000 population) from malignant neoplasms within each NS-SEC category. Women aged 20-59, Scotland 2000-02.
- A.38 Cause specific age standardised mortality (per 100,000 population) within each NS-SEC category. Women aged 20-59, Scotland 2000-02.
- A.39 Age standardised death rates per 100,000 population by NS-SEC categories in the major regions of Scotland. Women aged 20-59, 2000-02.
- A.40 Age standardised death rates per 100,000 population by NS-SEC categories in the major cities of Scotland. Women aged 20-59, 2000-02.
- A.41 The percentage distribution of deprivation categories among women. Figures are percentages within each age group. Scotland 2001.
- A.42 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.
- A.43 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.
- A.44 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.
- A.45 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.
- A.46 Mortality rate ratios for specified neoplasms for deprivation category groups relative to categories 3-5. Men and women aged 0-64, Scotland 1980-82, 1991-92 and 2000-02.
- A.47 The distribution of 1981 deprivation categories across major regions and cities of Scotland. Figures are percentages of area population.
- A.48 The distribution of 1991 deprivation categories across major regions and cities of Scotland. Figures are percentages of area population.
- A.49 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Men aged 0-64, Scotland 2000-02.
- A.50 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Men aged 0-64, Scotland 2000-02.

- A.51 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Women aged 0-64, Scotland 2000-02.
- A.52 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Women aged 0-64, Scotland 2000-02.

Year	Males			Females		
	Deaths	Population	Crude Death Rate	Deaths	Population	Crude Death Rate
1980	31,289	2,480,340	1,261	31,374	2,672,960	1,174
1981	31,418	2,494,860	1,259	31,968	2,685,340	1,190
1982	31,436	2,487,335	1,264	32,976	2,677,205	1,232
1983	30,956	2,479,075	1,249	32,145	2,669,045	1,204
1984	30,397	2,474,623	1,228	31,394	2,664,257	1,178
1985	30,839	2,469,514	1,249	32,611	2,658,376	1,227
1986	30,770	2,462,311	1,250	32,122	2,649,449	1,212
1987	30,076	2,455,403	1,225	31,381	2,643,617	1,187
1988	29,893	2,444,319	1,223	31,613	2,633,121	1,201
1989	30,796	2,443,165	1,260	33,919	2,635,025	1,287
1990	29,088	2,443,865	1,190	31,393	2,637,405	1,190
1991	28,995	2,444,515	1,186	31,524	2,638,815	1,195
1992	29,027	2,445,272	1,187	31,433	2,640,348	1,190
1993	30,250	2,448,419	1,235	33,405	2,644,041	1,263
1994	28,175	2,453,342	1,148	30,831	2,648,868	1,164
1995	28,766	2,453,353	1,173	31,715	2,650,337	1,197
1996	28,698	2,447,020	1,173	31,078	2,645,170	1,175
1997	28,016	2,442,322	1,147	30,965	2,641,018	1,172
1998	27,994	2,438,991	1,148	30,960	2,638,079	1,174
1999	28,524	2,436,535	1,171	31,685	2,635,415	1,202
2000	27,232	2,431,926	1,120	30,194	2,631,014	1,148
2001	26,967	2,433,733	1,108	29,735	2,630,467	1,130
2002	27,243	2,431,805	1,120	29,963	2,622,995	1,142

Table A.1 Crude death rates per 100,000. Men and women, Scotland, 1980-2002.

Age group	Males				Females			
	Population		Deaths		Population		Deaths	
	Number	%	Number	%	Number	%	Number	%
0-4	141,772	5.8	178	0.7	134,489	5.1	150	0.5
5-9	156,355	6.4	28	0.1	149,458	5.7	15	0.1
10-14	165,739	6.8	33	0.1	157,184	6.0	20	0.1
15-19	161,133	6.6	127	0.5	156,472	5.9	47	0.2
20-24	157,709	6.5	177	0.7	157,686	6.0	66	0.2
25-29	153,121	6.3	205	0.8	161,764	6.1	62	0.2
30-34	184,182	7.6	285	1.1	197,055	7.5	118	0.4
35-39	194,690	8.0	378	1.4	208,542	7.9	172	0.6
40-44	184,558	7.6	487	1.8	194,330	7.4	306	1.0
45-49	167,225	6.9	707	2.6	170,983	6.5	410	1.4
50-54	173,938	7.1	1,074	4.0	176,945	6.7	676	2.3
55-59	141,979	5.8	1,536	5.7	148,159	5.6	972	3.3
60-64	124,622	5.1	2,177	8.1	136,929	5.2	1,369	4.6
65-69	110,255	4.5	2,872	10.7	129,209	4.9	2,048	6.9
70-74	90,240	3.7	3,992	14.8	116,938	4.4	3,123	10.5
75-79	66,194	2.7	4,532	16.8	99,422	3.8	4,437	14.9
80-84	36,973	1.5	3,819	14.2	69,156	2.6	5,157	17.3
85-89	16,681	0.7	2,770	10.3	42,728	1.6	5,226	17.6
90+	6,367	0.3	1,590	5.9	23,018	0.9	5,361	18.0
Total	2,433,733	100.0	26,967	100.0	2,630,467	100.0	29,735	100.0

Table A.2 The distribution of population and deaths, in numbers and percentages, by age and sex. Scotland, 2001.

Region	Local Government District
Highlands and islands	Argyll & Bute, Badenoch & Strathspey, Caithness, Dumbarton (part), Inverness, Lochaber, Nairn, Orkney, Ross & Cromarty, Skye & Lochalsh, Sutherland
North East	Aberdeen City, Banff & Buchan, Gordon, Kincardine & Deeside, Moray
Clydeside conurbation	Bearsden & Milngavie, Clydebank, Cumbernauld & Kilsyth, Dumbarton (part), East Kilbride (part), Eastwood, Glasgow City (part), Inverclyde, Monklands, Motherwell, Renfrew, Strathkelvin
Central	Clackmannan, Falkirk, Stirling, West Lothian
East	Angus, Dundee City, Dunfermline, Kircaldy, North East Fife, Perth & Kinross
South West	Annandale & Eskdale, Clydesdale, Cumnock & Doon Valley, Cunninghame, East Kilbride (part), Glasgow City (part), Hamilton, Kilmarnock & Loudoun, Kyle & Carrick, Nithsdale, Stewartry, Wigtown
South East	Berwickshire, East Lothian, Edinburgh City, Etrick & Lauderdale, Midlothian, Roxburgh, Tweeddale

Table A.3 Composition of regions in terms of Local Government Districts (including part districts).

Age group	Males			Females		
	1981	1991	2001	1981	1991	2001
0-4	163,218	165,807	141,772	154,690	158,296	134,489
5-9	178,153	163,586	156,355	169,560	156,814	149,458
10-14	222,084	160,669	165,739	210,628	152,552	157,184
15-19	234,145	171,477	161,133	225,169	165,970	156,472
20-24	210,521	205,549	157,709	204,911	203,155	157,686
25-29	179,145	204,096	153,121	176,172	207,470	161,764
30-34	185,241	189,591	184,182	183,160	194,323	197,055
35-39	154,619	168,125	194,690	155,549	171,245	208,542
40-44	143,617	177,358	184,558	149,125	179,392	194,330
45-49	141,709	148,420	167,225	148,855	151,616	170,983
50-54	141,938	136,308	173,938	152,731	144,176	176,945
55-59	140,567	130,513	141,979	154,413	141,567	148,159
60-64	118,117	123,741	124,622	142,304	141,066	136,929
65-69	108,223	111,218	110,255	139,929	135,163	129,209
70-74	85,961	80,702	90,240	125,433	114,011	116,938
75-79	52,855	58,397	66,194	96,257	97,423	99,422
80-84	23,665	32,975	36,973	58,866	70,291	69,156
85-89	8,370	12,654	16,681	26,729	38,155	42,728
90+	2,712	3,329	6,367	10,859	16,130	23,018
Total	2,494,860	2,444,515	2,433,733	2,685,340	2,638,815	2,630,467

Table A.4 Age and sex structure of the Scottish population, Scotland, 1981, 1991 and 2001.

	Males	Females
1980	1,434	862
1981	1,380	844
1982	1,376	862
1983	1,344	833
1984	1,308	809
1985	1,311	821
1986	1,307	799
1987	1,261	774
1988	1,244	769
1989	1,266	809
1990	1,179	748
1991	1,164	740
1992	1,154	732
1993	1,195	765
1994	1,106	712
1995	1,113	715
1996	1,099	700
1997	1,060	689
1998	1,048	685
1999	1,057	693
2000	994	658
2001	970	640
2002	966	640

Table A.5 Age standardised all cause death rates per 100,000 population. Men and women, Scotland, 1980-2002.

		Death rate per 1,000,000 population					
		men			women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Malignant neoplasm of oesophagus (ICD9 150; ICD10 C15)	0-14	0	0	0	0	0	0
	15-29	1	1	0	0	0	1
	30-44	18	17	14	4	8	3
	45-59	132	170	185	49	59	46
	60-74	441	583	594	245	258	223
	75+	942	995	1,240	573	696	704
	0-64	52	66	70	23	26	19
	all ages	121	148	161	63	72	65
Malignant neoplasm of liver and gallbladder (ICD9 155-156; ICD10 C22-24)	0-14	0	0	1	1	0	0
	15-29	1	1	1	0	2	0
	30-44	7	8	7	4	8	3
	45-59	50	42	53	34	37	40
	60-74	216	209	238	113	120	132
	75+	342	428	480	290	315	343
	0-64	20	19	21	12	16	15
	all ages	51	53	60	33	36	38
Malignant neoplasm of pancreas (ICD9 157; ICD10 C25)	0-14	0	0	0	0	0	0
	15-29	0	1	0	0	0	0
	30-44	15	11	14	15	8	8
	45-59	120	112	104	84	71	57
	60-74	456	421	373	305	298	266
	75+	995	953	820	803	704	708
	0-64	47	45	43	33	31	24
	all ages	122	113	101	89	80	73
Malignant melanoma of skin (ICD9 172; ICD10 C43)	0-14	0	0	0	0	1	0
	15-29	2	2	7	2	3	2
	30-44	14	11	14	15	13	7
	45-59	23	29	28	23	19	27
	60-74	28	52	71	33	39	44
	75+	52	106	166	68	67	105
	0-64	10	12	15	11	10	10
	all ages	13	19	25	15	15	17

Table A.6 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.

		Death rate per 1,000,000 population					
		men			women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Mesothelioma (ICD9 158, 163; ICD10 C45)	0-14	0	0	0	0	0	0
	15-29	0	0	0	0	0	0
	30-44	0	0	0	0	0	0
	45-59	2	3	3	0	0	1
	60-74	4	10	17	2	1	2
	75+	8	9	34	2	3	3
	0-64	1	1	1	0	0	0
	all ages	1	2	4	0	0	0
	Malignant neoplasm of cervix uteri (ICD9 180; ICD10 C53)	0-14				0	0
15-29					6	8	8
30-44					50	47	33
45-59					117	92	49
60-74					190	159	78
75+					218	174	127
0-64					51	41	24
all ages					67	56	33
Malignant neoplasm of ovary (ICD9 183.0; ICD10 C56)		0-14				0	0
	15-29				4	1	1
	30-44				37	26	15
	45-59				182	199	144
	60-74				398	433	412
	75+				425	547	660
	0-64				70	71	57
	all ages				110	119	108
	Malignant neoplasm of prostate (ICD9 185; ICD10 C61)	0-14	0	0	0		
15-29		0	0	0			
30-44		1	1	1			
45-59		48	41	56			
60-74		630	756	732			
75+		3,090	3,963	4,186			
0-64		24	27	31			
all ages		209	258	267			

Table A.7 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.

		Death rate per 1,000,000 population					
		men			women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Malignant neoplasm of testis (ICD9 186; ICD10 C62)	0-14	0	0	0			
	15-29	13	4	2			
	30-44	20	7	2			
	45-59	5	6	6			
	60-74	5	3	8			
	75+	20	10	9			
	0-64	9	4	3			
	all ages	10	4	4			
Malignant neoplasm of kidney, renal pelvis, ureter and bladder (ICD9 188, 189.0-189.2, 189.9; ICD10 C64-67)	0-14	3	1	0	1	3	0
	15-29	1	1	1	2	0	1
	30-44	14	13	10	9	11	8
	45-59	154	148	121	62	71	51
	60-74	654	604	557	292	266	234
	75+	1,725	1,965	1,677	614	675	703
	0-64	62	59	51	29	30	21
	all ages	182	184	160	75	76	68
Malignant neoplasm of brain (ICD9 191; ICD10 C71)	0-14	14	9	7	12	12	10
	15-29	12	10	8	8	4	6
	30-44	36	39	35	17	24	23
	45-59	88	101	107	71	62	58
	60-74	167	214	233	109	120	148
	75+	100	143	231	52	70	152
	0-64	44	48	46	30	29	29
	all ages	55	64	69	37	38	44
Malignant neoplasm of thyroid gland (ICD9 193; ICD10 C73)	0-14	0	0	0	0	0	0
	15-29	0	0	1	1	0	0
	30-44	1	0	1	1	1	1
	45-59	4	5	5	7	4	4
	60-74	21	16	15	23	11	18
	75+	17	22	19	66	33	47
	0-64	2	2	2	3	1	2
	all ages	4	4	4	7	4	5

Table A.8 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.

		Death rate per 1,000,000 population					
		men			women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Hodgkin's disease (ICD9 201; ICD10 C81)	0-14	0	0	0	1	0	0
	15-29	8	8	3	9	6	1
	30-44	16	4	5	7	7	1
	45-59	19	7	6	8	5	2
	60-74	18	20	15	16	16	6
	75+	37	46	28	38	13	15
	0-64	11	5	4	6	5	1
	all ages	13	8	6	8	6	2
Other lymphomas (ICD9 200.2, 202; ICD10 C82-85, C96.0)	0-14	5	3	3	1	2	0
	15-29	2	7	4	5	3	3
	30-44	18	17	16	9	11	12
	45-59	40	83	61	30	55	43
	60-74	144	211	254	102	174	184
	75+	249	550	565	195	378	485
	0-64	22	32	30	14	24	21
	all ages	41	69	70	29	50	53
Myelomas and leukemias (ICD9 203-208; ICD10 C90-95)	0-14	23	8	13	12	12	7
	15-29	16	15	13	12	9	7
	30-44	21	19	18	17	23	11
	45-59	87	68	55	53	56	48
	60-74	310	309	341	189	181	211
	75+	857	805	1,028	462	490	594
	0-64	44	37	35	29	30	25
	all ages	102	92	103	60	62	64
Other malignant neoplasm	0-14	13	13	11	12	5	7
	15-29	25	18	16	16	11	13
	30-44	49	62	43	47	43	28
	45-59	272	386	337	244	233	255
	60-74	1,081	1,385	1,425	790	929	971
	75+	2,911	3,391	3,881	2,064	2,340	2,874
	0-64	124	160	153	105	103	106
	all ages	319	399	409	242	264	293

Table A.9 Age specific death rates (per 1,000,000 population) for specified neoplasms. Men and women 1981, 1991 and 2001.

Council area	Males			Females		
	1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Aberdeen City	415	346	336	252	212	172
Aberdeenshire	371	280	232	217	187	146
Angus	357	302	285	230	200	164
Argyll & Bute	450	358	305	265	217	186
Clackmannanshire	502	391	315	295	237	203
Dumfries & Galloway	478	324	272	265	205	163
Dundee City	451	427	402	269	242	238
East Ayrshire	519	388	319	309	241	224
East Dunbartonshire	386	319	232	232	186	151
East Lothian	422	303	262	247	185	153
East Renfrewshire	378	265	254	222	175	142
City of Edinburgh	436	379	316	260	218	188
Eilean Siar	564	418	399	230	172	164
Falkirk	471	377	326	297	212	185
Fife	451	337	296	277	227	167
Glasgow City	652	562	557	356	316	275
Highland	501	361	303	260	205	188
Inverclyde	618	502	486	349	284	233
Midlothian	425	340	311	245	216	176
Moray	437	353	293	231	194	156
North Ayrshire	559	384	372	323	246	209
North Lanarkshire	545	438	377	340	270	221
Orkney Islands	419	311	283	317	177	101
Perth & Kinross	410	316	255	236	195	144
Renfrewshire	547	419	399	297	230	208
Scottish Borders	395	312	260	220	192	156
Shetland Islands	359	294	278	173	167	133
South Ayrshire	438	341	310	287	223	179
South Lanarkshire	495	370	302	277	232	194
Stirling	435	374	263	257	237	162
West Dunbartonshire	560	505	441	304	220	216
West Lothian	498	364	310	310	219	196

Table A.10 Age standardised all cause death rates per 100,000 population by local council areas. Men and women aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.

Council area	Males			Females		
	1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Aberdeen City	84	89	99	88	91	89
Aberdeenshire	75	72	69	76	81	76
Angus	72	78	84	81	86	85
Argyll & Bute	91	92	90	93	93	97
Clackmannanshire	101	101	93	103	102	105
Dumfries & Galloway	97	83	80	93	88	85
Dundee City	91	110	119	94	104	124
East Ayrshire	105	100	94	108	104	117
East Dunbartonshire	78	82	69	81	80	78
East Lothian	85	78	77	86	80	80
East Renfrewshire	76	68	75	78	76	74
City of Edinburgh	88	98	93	91	94	98
Eilean Siar	114	108	118	81	74	85
Falkirk	95	97	96	104	91	96
Fife	91	87	87	97	98	87
Glasgow City	132	145	164	124	136	143
Highland	101	93	89	91	89	98
Inverclyde	125	129	143	122	123	121
Midlothian	86	88	92	86	93	92
Moray	88	91	87	81	84	81
North Ayrshire	113	99	110	113	106	108
North Lanarkshire	110	113	111	119	117	115
Orkney Islands	85	80	83	111	76	52
Perth & Kinross	83	82	75	83	84	75
Renfrewshire	111	108	118	104	99	108
Scottish Borders	80	80	77	77	83	81
Shetland Islands	73	76	82	61	72	69
South Ayrshire	89	88	92	100	96	93
South Lanarkshire	100	95	89	97	100	101
Stirling	88	97	78	90	102	84
West Dunbartonshire	113	130	130	106	95	112
West Lothian	101	94	92	109	95	102

Table A.11 All cause standardised mortality ratios in council areas. Men and women aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.

Standardisation is such that the Scottish ratio = 100 in each three year period and for each sex.

		Death rate per 100,000 population					
		Men			Women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
All causes	Highlands and Islands	478	359	308	257	202	178
	North East	401	318	280	235	199	157
	Clydeside conurbation	577	474	439	326	269	229
	Central	476	374	306	292	222	185
	East	431	346	305	261	220	175
	South West	498	362	311	288	229	193
	South East	427	354	298	250	210	177
	Scotland	495	388	339	286	232	192
Ischaemic Heart Disease (ICD9 410-414; ICD10 I20-25)	Highlands and Islands	167	102	55	35	27	19
	North East	129	86	45	36	30	12
	Clydeside conurbation	192	141	82	60	48	26
	Central	158	117	63	54	39	16
	East	147	101	60	48	34	19
	South West	182	117	65	54	42	20
	South East	137	95	55	41	30	13
	Scotland	167	115	64	51	39	19
Cerebrovascular Disease (ICD9 430-438; ICD10 I60-69, G45)	Highlands and Islands	24	19	12	21	13	11
	North East	26	15	11	20	14	7
	Clydeside conurbation	32	23	18	27	19	13
	Central	29	19	13	26	15	11
	East	25	20	11	23	15	10
	South West	31	18	11	26	16	13
	South East	24	15	11	21	14	8
	Scotland	29	19	13	25	16	11
All malignant neoplasms (ICD9 140-208; C00-97)	Highlands and Islands	102	92	91	100	92	75
	North East	98	89	83	91	83	71
	Clydeside conurbation	137	130	108	111	107	85
	Central	110	102	85	97	89	75
	East	109	96	88	96	92	74
	South West	115	95	81	101	93	74
	South East	106	105	87	89	92	78
	Scotland	118	107	92	101	95	77

Table A.12 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92, 2000-02

		Death rate per 100,000 population					
		Men			Women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Malignant neoplasm of trachea, bronchus and lung (ICD9 162; ICD10 C33-34)	Highlands and Islands	37	28	21	12	13	14
	North East	36	25	20	15	12	14
	Clydeside conurbation	63	48	35	25	25	21
	Central	48	35	23	17	17	15
	East	43	31	25	16	15	15
	South West	46	35	23	18	18	15
	South East	43	38	23	18	17	15
	Scotland	49	37	26	19	19	16
Malignant neoplasm of female breast (ICD9 175; ICD10 C50)	Highlands and Islands	0	0	0	33	27	20
	North East	0	0	0	24	23	16
	Clydeside conurbation	0	0	0	30	25	18
	Central	0	0	0	26	24	17
	East	0	0	0	26	24	20
	South West	0	0	0	24	22	17
	South East	0	0	0	25	22	20
	Scotland	0	0	0	27	24	18
Malignant neoplasm of colon and rectum (ICD9 153, 154.0-154.1; ICD10 C18-20)	Highlands and Islands	9	11	10	9	8	5
	North East	11	11	10	10	9	6
	Clydeside conurbation	11	12	10	9	8	5
	Central	10	9	10	9	6	6
	East	10	11	9	8	7	5
	South West	13	10	10	10	9	5
	South East	9	10	8	8	10	5
	Scotland	11	11	9	9	8	5
Malignant neoplasm of stomach (ICD9 151; ICD10 C16)	Highlands and Islands	9	6	4	4	1	2
	North East	8	6	3	2	3	1
	Clydeside conurbation	11	7	5	4	3	2
	Central	9	6	5	3	2	1
	East	9	6	4	3	2	2
	South West	10	4	4	3	3	2
	South East	8	5	3	4	3	2
	Scotland	10	6	4	4	3	2

Table A.13 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92, 2000-02

		Death rate per 100,000 population					
		Men			Women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
All other malignant neoplasms*	Highlands and Islands	46	47	56	42	43	35
	North East	43	47	49	40	36	34
	Clydeside conurbation	52	62	58	43	45	39
	Central	44	51	48	41	40	35
	East	46	48	51	44	44	33
	South West	46	46	45	46	40	35
	South East	47	52	53	35	41	36
	Scotland	52	57	56	45	45	38
Chronic lower respiratory diseases (ICD9 490-494, 496; ICD10 J40-47)	Highlands and Islands	9	6	6	3	6	4
	North East	9	9	5	7	8	5
	Clydeside conurbation	23	15	11	13	11	10
	Central	17	10	11	11	10	8
	East	14	10	8	7	8	8
	South West	16	9	8	10	8	8
	South East	14	8	8	8	7	6
	Scotland	17	11	9	9	9	7
Chronic liver disease (ICD9 571; ICD10 K70, K73-74)	Highlands and Islands	7	8	13	3	5	7
	North East	5	6	11	3	3	4
	Clydeside conurbation	13	16	42	8	9	15
	Central	6	8	21	5	5	11
	East	4	3	17	3	4	7
	South West	7	8	17	4	6	11
	South East	8	6	17	5	3	11
	Scotland	9	9	23	5	6	11
Accidents (ICD9 E800-929, ICD10 V01-X59, Y85, Y86)	Highlands and Islands	55	34	28	19	10	8
	North East	42	30	21	12	10	5
	Clydeside conurbation	38	25	19	11	10	5
	Central	35	24	19	12	8	5
	East	35	22	17	12	6	6
	South West	33	26	16	11	9	6
	South East	29	22	15	10	8	5
	Scotland	37	25	18	12	9	6

* excluding lung, colorectal, stomach and breast

Table A.14 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92, 2000-02

		Death rate per 100,000 population					
		Men			Women		
Age		1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Intentional self harm & events of undetermined intent (ICD9 E950-959, 980-989; ICD10 X60-84, Y87.0 , Y10-Y34, Y87.2)	Highlands and Islands	23	26	30	9	6	7
	North East	18	18	22	10	5	6
	Clydeside conurbation	22	25	29	11	7	9
	Central	14	18	24	8	5	6
	East	16	20	26	9	8	8
	South West	16	17	27	8	6	7
	South East	16	21	22	9	7	10
	Scotland	18	21	26	10	7	8
Mental and behavioural disorders due to use of drugs (ICD9 304, 305.2-.9; ICD10 F11-16, F18-19)	Highlands and Islands	0	0	4	0	0	0
	North East	0	0	11	0	0	2
	Clydeside conurbation	0	1	17	0	0	3
	Central	0	2	4	0	0	1
	East	0	2	6	0	1	1
	South West	0	0	9	0	0	2
	South East	0	1	7	0	0	1
	Scotland	0	1	10	0	0	2
Mental and behavioural disorders due to use of alcohol (ICD9 291, 303, 305.0; ICD10 F10)	Highlands and Islands	4	6	12	1	2	6
	North East	3	5	10	1	3	4
	Clydeside conurbation	8	5	12	3	1	3
	Central	1	2	4	0	2	2
	East	3	5	8	2	3	3
	South West	3	2	6	1	1	2
	South East	3	6	7	2	2	3
	Scotland	5	4	9	2	2	3
Assault (ICD9 E960-969; ICD10 X85-Y09, Y87.1)	Highlands and Islands	1	2	1	1	0	0
	North East	1	2	1	1	1	1
	Clydeside conurbation	4	6	6	1	1	1
	Central	1	1	1	1	1	1
	East	2	2	2	2	1	1
	South West	1	2	4	1	1	1
	South East	2	3	2	1	1	1
	Scotland	2	3	3	1	1	1

Table A.15 Cause specific death rates (per 100,000 population) for major regions of Scotland. Men and women aged 0-64, 1980-82, 1990-92, 2000-02

	Chronic liver disease (ICD9 571; ICD10 K70, K73-74)		Mental and behavioural disorders due to use of drugs (ICD9 304, 305.2-.9; ICD10 F11-16, F18-19)	
	Males	Females	Males	Females
1980	110.4	72.6	1.5	1.2
1981	123.6	71.9	3.7	0.0
1982	105.8	66.9	3.0	0.7
1983	114.9	71.8	4.6	0.6
1984	101.9	75.1	1.5	1.0
1985	109.3	68.5	3.4	0.5
1986	97.0	59.6	1.5	1.1
1987	108.0	66.6	2.9	0.0
1988	106.1	73.4	4.0	0.0
1989	123.3	70.4	5.2	1.1
1990	134.2	78.4	7.9	1.6
1991	115.5	79.8	12.1	3.9
1992	112.7	70.9	8.4	2.6
1993	128.1	71.2	15.5	5.0
1994	144.6	86.9	56.1	21.6
1995	168.5	98.0	76.2	16.0
1996	225.7	107.2	84.0	19.3
1997	220.8	107.4	71.5	15.1
1998	245.1	118.6	89.6	18.0
1999	259.7	132.6	121.3	22.8
2000	288.0	136.1	116.9	28.2
2001	304.1	139.5	122.8	21.3
2002	330.4	146.1	154.2	22.9

Table A.16 Age standardised death rates per 1,000,000 population from chronic liver disease and from mental and behavioural disorders due to use of drugs. Men and women, Scotland, 1980-2002.

Age group	Cause of death									
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	316	0	0	0	7	0	21	0	0	288
5-9	31	0	0	0	6	0	15	0	0	10
10-14	32	0	0	0	5	0	15	0	0	11
15-19	86	0	1	0	6	10	50	0	1	17
20-24	102	1	3	1	9	20	50	0	0	19
25-29	102	2	4	1	10	22	38	1	0	24
30-34	118	9	4	2	15	21	33	2	1	30
35-39	184	33	10	6	27	24	35	4	0	45
40-44	322	93	15	16	44	32	40	12	0	70
45-49	574	236	28	41	77	31	42	16	0	103
50-54	1,006	417	53	110	150	29	44	23	0	181
55-59	1,729	682	112	231	267	31	53	33	0	321
60-64	2,647	1,053	207	356	399	25	54	31	0	522
65-69	4,196	1,500	437	552	666	25	64	36	0	916
70-74	6,547	2,262	788	727	970	31	99	24	0	1,647
75-79	10,002	3,118	1,414	863	1,394	25	158	22	0	3,010
80-84	15,111	4,129	2,392	939	1,788	36	284	19	0	5,524
85+	24,027	5,340	4,055	688	2,165	15	620	12	0	11,132

Table A.17 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 1980-82.

Age group	Cause of death									
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	204	0	0	0	4	0	12	0	0	188
5-9	21	0	0	0	3	0	9	0	0	9
10-14	25	0	0	0	3	1	10	0	0	11
15-19	77	0	1	0	5	15	35	0	2	18
20-24	109	0	1	0	7	30	40	0	2	28
25-29	117	1	2	0	8	39	32	1	3	30
30-34	112	6	2	1	11	30	24	2	1	36
35-39	159	22	7	2	22	28	22	7	1	48
40-44	255	59	10	12	47	31	25	13	0	58
45-49	441	127	19	36	85	32	29	20	0	94
50-54	751	270	41	73	152	27	33	23	0	132
55-59	1,262	471	66	149	270	23	27	31	0	225
60-64	2,172	796	144	305	429	21	38	33	0	407
65-69	3,640	1,308	278	500	711	22	47	34	0	740
70-74	5,531	1,875	574	646	1,034	23	66	32	0	1,281
75-79	8,517	2,588	1,083	759	1,432	22	122	21	0	2,489
80-84	12,989	3,771	1,842	926	1,937	30	169	18	0	4,296
85+	20,854	4,892	3,075	774	2,572	23	494	4	0	9,019

Table A.18 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 1990-92.

Age group	Cause of death									
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	136	0	0	0	4	0	6	0	0	126
5-9	14	0	0	0	3	0	4	0	0	7
10-14	18	0	1	0	4	1	5	0	0	7
15-19	72	0	0	0	5	22	22	0	7	16
20-24	120	0	1	0	6	41	21	0	26	24
25-29	141	2	3	0	7	48	21	3	32	26
30-34	154	5	2	1	12	42	21	10	26	36
35-39	188	17	3	1	19	42	21	15	17	52
40-44	264	38	10	6	35	38	21	32	10	75
45-49	390	82	16	20	68	31	21	48	5	98
50-54	631	147	28	49	134	27	23	66	2	156
55-59	1,050	253	44	108	252	26	26	72	0	268
60-64	1,765	434	89	222	451	25	35	83	0	426
65-69	2,692	693	177	333	653	21	35	76	0	703
70-74	4,417	1,133	363	517	1,005	21	52	58	0	1,268
75-79	6,895	1,739	726	650	1,422	16	89	36	0	2,215
80-84	10,549	2,607	1,327	726	1,969	20	151	35	0	3,714
85+	19,114	3,989	2,893	684	2,751	26	348	17	0	8,405

Table A.19 Age and cause specific mortality rates per 100,000 population. Men, Scotland, 2000-02.

Age group	Cause of death										
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Breast cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	245	0	1	0	0	4	0	14	0	0	225
5-9	21	0	0	0	0	4	0	7	0	0	10
10-14	21	0	1	0	0	4	0	5	0	0	10
15-19	32	0	1	0	0	6	2	12	0	0	11
20-24	34	0	2	0	0	4	6	11	0	0	11
25-29	48	1	3	1	1	10	7	6	1	0	17
30-34	69	2	6	1	7	14	10	8	1	0	20
35-39	114	6	8	4	16	25	12	7	6	0	29
40-44	206	19	21	7	35	46	13	10	7	0	48
45-49	349	47	31	20	56	73	20	15	9	0	77
50-54	607	106	51	54	78	126	21	16	15	0	141
55-59	941	202	87	88	93	189	23	21	16	0	222
60-64	1,467	406	158	117	100	298	16	24	20	0	327
65-69	2,302	703	299	161	103	418	15	36	15	0	551
70-74	3,615	1,149	595	148	128	561	14	63	18	0	939
75-79	5,872	1,710	1,184	146	136	789	13	135	15	0	1,743
80-84	9,662	2,513	2,140	125	173	965	11	306	13	0	3,417
85+	18,697	3,794	4,129	109	238	1,346	11	763	9	0	8,298

Table A.20 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 1980-82.

Age group	Cause of death										
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Breast cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	147	0	0	0	0	4	0	9	0	0	133
5-9	13	0	0	0	0	3	0	4	0	0	6
10-14	19	0	0	0	0	3	0	7	0	0	7
15-19	29	0	0	0	0	4	3	11	0	0	11
20-24	33	0	1	0	0	3	6	10	0	0	11
25-29	47	1	2	0	2	9	12	5	1	1	14
30-34	57	1	3	0	7	13	9	5	2	0	18
35-39	103	5	7	4	12	27	7	7	5	0	27
40-44	157	15	11	8	26	39	9	9	7	0	33
45-49	276	29	20	23	41	74	11	7	15	0	55
50-54	454	71	32	40	75	113	10	13	13	0	85
55-59	775	157	60	74	85	196	9	12	18	0	164
60-64	1,298	325	102	137	93	298	10	19	20	0	293
65-69	2,109	585	202	221	121	420	8	26	21	0	504
70-74	3,248	946	423	257	116	578	11	42	22	0	854
75-79	5,210	1,523	895	252	159	740	10	87	13	0	1,529
80-84	8,425	2,264	1,678	202	202	1,022	8	178	14	0	2,857
85+	16,343	3,620	3,389	181	281	1,290	8	469	7	0	7,099

Table A.21 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 1990-92.

Age group	Cause of death										
	All causes	IHD	Cerebro-vascular disease	Lung cancer	Breast cancer	Other cancers	Suicide	Accidents	Chronic liver disease	Mental and behavioural disorders due to use of drugs	All other causes
0-4	108	0	0	0	0	3	1	6	0	0	98
5-9	9	0	0	0	0	1	0	2	0	0	6
10-14	13	0	0	0	0	2	1	3	0	0	7
15-19	32	0	0	0	0	3	8	7	0	3	10
20-24	39	0	1	0	0	6	10	6	0	4	12
25-29	44	1	2	0	0	6	9	4	1	7	14
30-34	62	1	1	1	4	10	12	4	3	4	21
35-39	91	4	4	2	9	15	11	4	9	2	31
40-44	151	9	10	7	20	31	14	5	13	1	41
45-49	246	21	12	19	32	51	11	6	27	0	65
50-54	385	35	21	40	54	90	11	7	29	0	99
55-59	621	69	42	65	68	170	8	10	34	0	156
60-64	1,007	161	72	119	77	251	9	12	33	0	273
65-69	1,621	299	128	195	88	376	9	16	29	0	482
70-74	2,715	556	266	291	109	553	7	24	23	0	886
75-79	4,531	990	577	336	138	809	7	63	19	0	1,591
80-84	7,509	1,658	1,221	325	192	1,062	10	130	21	0	2,892
85+	16,286	3,047	3,186	236	274	1,368	4	425	12	0	7,734

Table A.22 Age and cause specific mortality rates per 100,000 population. Women, Scotland, 2000-02.

Council area	IHD			Lung cancer		
	1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Aberdeen City	80	83	83	86	96	116
Aberdeenshire	72	67	63	59	45	49
Angus	69	72	77	49	64	72
Argyll & Bute	91	106	82	59	83	97
Clackmannanshire	97	108	85	114	96	84
Dumfries & Galloway	106	93	94	76	79	65
Dundee City	90	97	113	108	139	136
East Ayrshire	127	120	94	80	92	80
East Dunbartonshire	74	75	63	75	77	60
East Lothian	97	65	84	74	116	71
East Renfrewshire	79	75	66	70	69	72
City of Edinburgh	77	85	89	95	111	93
Eilean Siar	116	118	116	90	72	128
Falkirk	95	104	97	84	85	107
Fife	96	99	99	88	74	96
Glasgow City	118	136	156	161	161	176
Highland	105	81	87	87	76	75
Inverclyde	127	131	152	109	95	142
Midlothian	91	93	83	73	67	124
Moray	81	77	60	73	52	67
North Ayrshire	109	109	130	102	120	118
North Lanarkshire	122	130	129	108	112	114
Orkney Islands	94	70	77	35	66	90
Perth & Kinross	81	66	70	84	61	73
Renfrewshire	123	114	112	95	118	129
Scottish Borders	82	82	83	74	85	60
Shetland Islands	72	69	69	62	35	25
South Ayrshire	99	80	94	86	86	51
South Lanarkshire	106	106	99	105	95	105
Stirling	77	106	77	92	99	56
West Dunbartonshire	115	132	107	124	156	148
West Lothian	104	95	113	110	103	85

Table A.23 Standardised mortality ratios for deaths from ischaemic heart disease (IHD) and lung cancer in council areas. Men aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.

Standardisation is such that the Scottish ratio = 100 in each three year period and for each cause.

Council area	Female breast cancer (women)			Chronic liver disease (men)		
	1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Aberdeen City	100	108	88	70	93	76
Aberdeenshire	77	91	80	29	36	21
Angus	115	96	116	36	7	36
Argyll & Bute	132	121	93	121	119	53
Clackmannanshire	145	142	118	104	198	60
Dumfries & Galloway	84	60	91	60	75	45
Dundee City	70	83	132	50	75	113
East Ayrshire	106	107	82	69	101	73
East Dunbartonshire	130	105	73	106	85	59
East Lothian	116	71	122	82	32	54
East Renfrewshire	81	140	80	60	99	114
City of Edinburgh	100	98	101	116	101	94
Eilean Siar	107	73	106	59	26	55
Falkirk	98	84	96	47	105	113
Fife	97	110	94	61	35	83
Glasgow City	105	98	85	185	229	259
Highland	122	121	121	59	79	53
Inverclyde	130	102	92	272	239	209
Midlothian	54	99	136	25	21	67
Moray	79	81	112	66	65	57
North Ayrshire	72	113	88	109	79	102
North Lanarkshire	125	111	121	102	141	118
Orkney Islands	126	17	43	50	86	90
Perth & Kinross	115	106	121	45	27	41
Renfrewshire	104	117	115	152	137	175
Scottish Borders	63	77	102	50	30	20
Shetland Islands	79	124	75	175	86	42
South Ayrshire	101	108	114	68	121	73
South Lanarkshire	85	89	98	92	84	80
Stirling	95	99	96	104	55	95
West Dunbartonshire	104	91	117	164	149	172
West Lothian	78	101	87	75	35	79

Table A.24 Standardised mortality ratios for deaths from female breast cancer (women aged 0-64) and chronic liver disease (men aged 0-64) in council areas. Scotland 1980-82, 1990-92 and 2000-02.

Standardisation is such that the Scottish ratio = 100 in each three year period and for each cause and sex.

Council area	Suicide			Assault		
	1980-82	1990-92	2000-02	1980-82	1990-92	2000-02
Aberdeen City	87	75	80	144	60	33
Aberdeenshire	91	88	80	23	46	41
Angus	78	97	60	35	0	68
Argyll & Bute	103	92	68	121	51	24
Clackmannanshire	82	108	125	88	44	101
Dumfries & Galloway	105	89	93	26	90	86
Dundee City	116	124	136	111	155	140
East Ayrshire	77	73	143	31	20	101
East Dunbartonshire	47	51	66	61	40	40
East Lothian	101	92	54	0	111	30
East Renfrewshire	65	60	37	37	0	87
City of Edinburgh	104	104	86	130	81	69
Eilean Siar	105	152	145	0	100	83
Falkirk	87	73	95	26	32	72
Fife	73	83	93	65	53	39
Glasgow City	170	156	137	250	278	300
Highland	136	146	138	41	68	41
Inverclyde	84	116	108	222	258	202
Midlothian	51	81	108	0	147	0
Moray	126	104	111	0	34	58
North Ayrshire	109	68	118	100	67	164
North Lanarkshire	93	77	92	116	71	92
Orkney Islands	103	56	12	0	0	109
Perth & Kinross	91	81	112	87	111	75
Renfrewshire	79	110	107	81	186	161
Scottish Borders	48	102	106	31	0	77
Shetland Islands	146	59	141	0	130	0
South Ayrshire	77	95	103	38	86	38
South Lanarkshire	77	84	84	70	58	131
Stirling	63	102	78	0	113	0
West Dunbartonshire	82	144	155	134	203	135
West Lothian	70	80	84	127	14	15

Table A.25 Standardised mortality ratios for deaths from suicide and assault in council areas. Men aged 0-64 in Scotland 1980-82, 1990-92 and 2000-02.

Standardisation is such that the Scottish ratio = 100 in each three year period and for each cause.

Age group	Men		Women
	1991 Census	Death records	Death records
16-19	61	57	42
20-24	84	74	59
25-29	91	85	73
30-34	92	91	81
35-39	93	92	77
40-44	92	94	80
45-49	91	96	81
50-54	89	96	80
55-59	86	97	76
60-64	83	97	70
65-69	71	98	63
70-74	46	98	52
75+	7	98	32
16+	77	97	44

Table A.26 Percentage of men allocated social class at the 1991 Census and percentage of men and women allocated social class on death records 1990-92.

Age group	Men		Women	
	2001 Census	Death records	2001 Census	Death records
16-19	47	49	39	31
20-24	76	68	71	51
25-29	94	73	90	59
30-34	96	78	90	68
35-39	96	85	88	70
40-44	94	87	88	77
45-49	93	91	87	81
50-54	91	93	83	83
55-59	85	93	74	82
60-64	73	96	58	81
65-69	13	97	11	79
70-74	7	98	10	75
16-74	78	94	70	78

Table A.27 Percentage of men and women allocated NS-SEC at the 2001 Census and on death records 2000-02.

Age group	Social Class based on Occupation	Death rate per 100,000 population
		Women 1990-92
20-29	I Professional occupations	44
	II Managerial and technical occupations	28
	IIIN Skilled occupations - non-manual	22
	IIIM Skilled occupations - manual	29
	IV Partly skilled occupations	47
	V Unskilled occupations	25
	Not classified*	92
	All	41
30-39	I Professional occupations	65
	II Managerial and technical occupations	38
	IIIN Skilled occupations - non-manual	39
	IIIM Skilled occupations - manual	178
	IV Partly skilled occupations	78
	V Unskilled occupations	115
	Not classified*	153
	All	76
40-49	I Professional occupations	248
	II Managerial and technical occupations	141
	IIIN Skilled occupations - non-manual	83
	IIIM Skilled occupations - manual	598
	IV Partly skilled occupations	223
	V Unskilled occupations	291
	Not classified*	254
	All	199
50-59	I Professional occupations	1,001
	II Managerial and technical occupations	415
	IIIN Skilled occupations - non-manual	209
	IIIM Skilled occupations - manual	1,870
	IV Partly skilled occupations	607
	V Unskilled occupations	622
	Not classified*	365
	All	497
20-59	I Professional occupations	328
	II Managerial and technical occupations	150
	IIIN Skilled occupations - non-manual	86
	IIIM Skilled occupations - manual	647
	IV Partly skilled occupations	232
	V Unskilled occupations	256
	Not classified*	213
	All	198

* includes armed forces, inadequately described, not stated, no occupation

Table A.28 Female age specific death rates per 100,000 population for each social class. Scotland 1990-92.

Social class based on occupation		Cause of death						
		Malignant neoplasm of oesophagus (150)	Malignant neoplasm of liver and gallbladder (155-156)	Malignant neoplasm of pancreas (157)	Malignant melanoma of skin (172)	Mesothelioma (158)	Malignant neoplasm of prostate (185)	Malignant neoplasm of testis (186)
I	Professional occupations	24	9	44	21	0	12	0
II	Managerial and technical occupations	40	14	35	22	9	16	5
IIIN	Skilled occupations - non-manual	77	41	59	19	4	23	8
IIIM	Skilled occupations - manual	86	17	61	15	19	15	6
IV	Partly skilled occupations	108	26	44	13	14	22	9
V	Unskilled occupations	145	36	57	16	0	26	7
	Not classified	15	5	12	0	0	0	6
	All	69	19	45	15	10	15	6

Table A.29 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each social class group. Men aged 20-59, Scotland 1990-92.

Social class based on occupation		Cause of death						
		Malignant neoplasm of kidney, renal pelvis, ureter and bladder (188, 189.0-189.2, 189.9)	Malignant neoplasm of brain (191)	Malignant neoplasm of thyroid gland (193)	Hodgkin's disease (201)	Other lymphomas (200.2, 202)	Myelomas and leukemias (203-208)	Other malignant neoplasms*
I	Professional occupations	62	72	0	0	26	24	110
II	Managerial and technical occupations	37	34	1	4	44	36	82
IIIN	Skilled occupations - non-manual	46	34	4	6	51	33	118
IIIM	Skilled occupations - manual	76	75	5	7	37	43	218
IV	Partly skilled occupations	73	62	0	12	40	40	233
V	Unskilled occupations	124	77	0	8	67	38	437
	Not classified	21	25	0	7	18	12	61
	All	59	55	2	7	39	35	168

Table A.30 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each social class group. Men aged 20-59, Scotland 1990-92.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, colon and rectum and stomach.

National Statistics - Socioeconomic classification	Age group								
	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	20-59
Higher managerial and professional occupations	3	8	7	6	5	5	3	3	5
Lower managerial and professional occupations	13	26	26	25	26	27	23	18	23
Intermediate occupations	18	19	17	16	16	16	15	13	16
Small employers and own account workers	1	2	3	4	4	5	5	5	4
Lower supervisory and technical occupations	4	5	5	4	5	5	4	4	4
Semi-routine occupations	18	17	17	18	19	18	19	18	18
Routine occupations	9	8	9	9	9	9	10	11	9
Never worked and long-term unemployed	5	5	5	5	4	3	3	4	4
Not classified*	29	10	10	12	12	13	17	26	15
All	100	100	100	100	100	100	100	100	100

*Students, occupations not stated or inadequately described, and not classifiable for other reasons are added as 'Not classified'

Table A.31 The percentage distribution of NS-SEC categories among women. Figures are percentages within each age group. Scotland 2001.

National Statistics - Socioeconomic classification	Age group								
	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	20-59
Higher managerial and professional occupations	3	5	7	5	7	7	8	6	6
Lower managerial and professional occupations	10	11	8	10	13	14	13	13	13
Intermediate occupations	10	12	12	10	11	8	9	8	9
Small employers and own account workers	0	0	3	4	3	4	5	5	4
Lower supervisory and technical occupations	0	2	5	8	8	9	10	10	9
Semi-routine occupations	17	15	16	15	13	15	15	16	15
Routine occupations	7	13	16	18	22	22	23	24	22
Never worked and long-term unemployed	3	1	2	1	1	0	0	1	1
Not classified*	49	41	32	30	23	19	17	18	21
All	100	100	100	100	100	100	100	100	100

*Students, occupations not stated or inadequately described, and not classifiable for other reasons are added as 'Not classified'

Table A.32 The percentage distribution of NS-SEC categories among female deaths. Figures are percentages within each age group. Scotland 2000-02.

National Statistics - Socioeconomic classification	Age group				
	20-29	30-39	40-49	50-59	20-59
Higher managerial and professional occupations	35	68	289	1094	358
Lower managerial and professional occupations	23	26	103	330	117
Intermediate occupations	25	49	121	292	119
Small employers and own account workers	5	65	175	460	171
Lower supervisory and technical occupations	8	109	374	1,270	425
Semi-routine occupations	38	65	154	425	166
Routine occupations	47	150	483	1,129	440
Never worked and long-term unemployed	18	19	34	47	30
Not classified	125	216	317	421	267
All	41	76	199	497	198

Table A.33 Age specific death rates (per 100,000 population) for each NS-SEC category for women. Scotland 2000-02.

Social class based on occupation	Cause of death						
	Malignant neoplasm of oesophagus (C15)	Malignant neoplasm of liver and gallbladder (C22-24)	Malignant neoplasm of pancreas (C25)	Malignant melanoma of skin (C43)	Mesothelioma (C45)	Malignant neoplasm of prostate (C61)	Malignant neoplasm of testis (C62)
Higher managerial and professional occupations	43	16	40	27	5	31	2
Lower managerial and professional occupations	49	25	35	8	6	13	1
Intermediate occupations	107	16	50	36	12	19	3
Small employers and own account workers	40	16	34	5	18	24	2
Lower supervisory and technical occupations	124	29	62	23	10	33	4
Semi-routine occupations	127	31	56	41	25	39	5
Routine occupations	137	44	69	29	23	23	7
Never worked and long-term unemployed	8	0	5	0	0	0	0
Not classified	18	0	25	0	4	0	17
All	73	22	43	18	12	21	4

Table A.34 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each NS-SEC category. Men aged 20-59, Scotland 2000-02.

Social class based on occupation	Cause of death							Other malignant neoplasms*
	Malignant neoplasm of kidney, renal pelvis, ureter and bladder (C64-67)	Malignant neoplasm of brain (C71)	Malignant neoplasm of thyroid gland (C73)	Hodgkin's disease (C81)	Other lymphomas (C82-85, C96.0)	Myelomas and leukemias (C90-95)		
Higher managerial and professional occupations	44	68	2	3	12	22	69	
Lower managerial and professional occupations	31	39	2	6	33	36	112	
Intermediate occupations	57	76	5	7	50	57	170	
Small employers and own account workers	25	76	0	4	28	26	62	
Lower supervisory and technical occupations	82	54	4	11	52	28	185	
Semi-routine occupations	77	71	3	5	35	47	240	
Routine occupations	93	78	5	0	32	35	295	
Never worked and long-term unemployed	0	0	0	0	0	0	19	
Not classified	11	22	0	4	22	16	88	
All	49	55	2	5	30	30	144	

Table A.35 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each NS-SEC category. Men aged 20-59, Scotland 2000-02.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, colon and rectum and stomach.

National Statistics - Socioeconomic classification	Cause of death			
	All cause	Ischaemic heart disease (I20-25)	Cerebro- vascular disease (I60-69, G45)	Malignant neoplasms (C00-97)
Higher managerial and professional occupations	358	10	14	231
Lower managerial and professional occupations	117	7	6	61
Intermediate occupations	119	8	6	61
Small employers and own account workers	171	12	12	84
Lower supervisory and technical occupations	425	36	29	213
Semi-routine occupations	166	14	11	72
Routine occupations	440	51	28	176
Never worked and long- term unemployed	30	2	3	5
Not classified	267	21	10	61
All	198	17	11	84

Table A.36 Cause specific age standardised mortality (per 100,000 population) within each NS-SEC category. Women aged 20-59, Scotland 2000-02.

National Statistics - Socioeconomic classification	Cause of death					
	Malignant neoplasms (C00-97)	Malignant neoplasm of trachea bronchus and lung (C33-34)	Malignant neoplasm of female breast (C50)	Malignant neoplasm of colon and rectum (C18-20)	Malignant neoplasm of stomach (C16)	All other malignant neoplasms*
Higher managerial and professional occupations	231	32	81	20	3	96
Lower managerial and professional occupations	61	8	20	4	1	28
Intermediate occupations	61	10	17	4	1	28
Small employers and own account workers	84	14	27	6	2	34
Lower supervisory and technical occupations	213	49	60	8	6	90
Semi-routine occupations	72	16	16	6	2	32
Routine occupations	176	38	43	11	5	79
Never worked and long- term unemployed	5	2	2	0	0	1
Not classified	61	13	12	4	3	29
All	84	16	23	6	2	38

* excluding lung, breast, colorectal and stomach

Table A.37 Age standardised mortality (per 100,000 population) from malignant neoplasms within each NS-SEC category. Women aged 20-59, Scotland 2000-02.

National Statistics - Socioeconomic classification	Cause of death						
	Chronic lower respiratory disease (J40-47)	Chronic liver disease (K70, K73-74)	Accidents (V01-X59, Y85, Y86)	Intentional self harm & events of undetermined intent (X60-84, Y87.0, Y10-Y34, Y87.2)	Mental and behavioural disorders due to use of drugs (F11- 16, F18-19)	Mental and behavioural disorders due to use of alcohol (F10)	Assault (X85-Y09, Y87.1)
Higher managerial and professional occupations	5	12	11	18	0	4	1
Lower managerial and professional occupations	2	6	4	5	0	2	0
Intermediate occupations	2	9	4	5	1	2	0
Small employers and own account workers	4	10	2	9	1	7	1
Lower supervisory and technical occupations	12	21	6	10	0	9	1
Semi-routine occupations	8	10	5	11	2	3	0
Routine occupations	18	35	10	18	6	9	2
Never worked and long- term unemployed	1	3	1	5	2	0	0
Not classified	10	29	8	23	12	10	4
All	7	14	6	11	2	4	1

Table A.38 Cause specific age standardised mortality (per 100,000 population) within each NS-SEC category. Women aged 20-59, Scotland 2000-02.

National Statistics - Socioeconomic classification	Region						
	Highlands and Islands	North East	Clydeside conurbation	Central	East	South West	South East
Higher managerial and professional occupations	399	419	370	346	329	453	283
Lower managerial and professional occupations	135	98	120	94	112	134	116
Intermediate occupations	139	101	120	116	110	117	132
Small employers and own account workers	175	144	250	195	117	190	136
Lower supervisory and technical occupations	405	333	542	337	361	477	371
Semi-routine occupations	134	130	206	160	155	173	150
Routine occupations	415	311	581	398	359	446	391
Never worked and long- term unemployed	8	0	62	32	5	7	4
Not classified	248	214	297	240	286	228	329

Table A.39 Age standardised death rates per 100,000 population by NS-SEC categories in the major regions of Scotland. Women aged 20-59, 2000-02.

National Statistics - Socioeconomic classification	City				
	Aberdeen	Dundee	Edinburgh	Glasgow	All Scotland
Higher managerial and professional occupations	513	304	268	317	358
Lower managerial and professional occupations	74	126	116	130	117
Intermediate occupations	116	166	136	131	119
Small employers and own account workers	147	88	117	229	171
Lower supervisory and technical occupations	281	419	390	533	425
Semi-routine occupations	186	233	170	253	166
Routine occupations	381	510	468	655	440
Never worked and long-term unemployed	0	27	6	104	30
Not classified	295	441	391	391	267
All	191	258	199	281	198

Table A.40 Age standardised death rates per 100,000 population by NS-SEC categories in the major cities of Scotland. Women aged 20-59, 2000-02.

Deprivation category (DEPCAT)	Age							All
	0-14	15-29	30-44	45-59	60-74	75+		
Least deprived	1	7	5	6	7	6	6	6
	2	13	12	14	15	13	14	14
	3	21	20	22	23	22	23	22
	4	25	26	26	25	25	25	25
	5	15	16	15	14	15	15	15
	6	11	13	11	10	12	12	12
Most deprived	7	7	8	7	6	7	6	7

Table A.41 The percentage distribution of deprivation categories among women. Figures are percentages within each age group. Scotland 2001.

Deprivation	Death rate per 100,000 population						
	men			women			
	1980-82	1991-92	2000-02	1980-82	1991-92	2000-02	
Malignant neoplasm of oesophagus (ICD9 150; ICD10 C15)	1	39	20	51	15	19	11
	2	48	54	52	18	26	9
	3	52	60	69	22	26	24
	4	49	68	65	18	26	18
	5	45	82	94	29	34	20
	6	56	112	69	33	26	17
	7	86	98	111	27	28	32
	All Scotland	52	70	70	23	27	19
Malignant neoplasm of liver and gallbladder (ICD9 155-156; ICD10 C22-24)	1	11	28	11	10	10	7
	2	18	17	9	10	16	3
	3	22	16	15	11	13	13
	4	23	16	21	12	13	16
	5	15	15	32	8	15	29
	6	24	17	38	22	23	16
	7	13	43	36	18	21	20
	All Scotland	20	19	22	12	15	15
Malignant neoplasm of pancreas (ICD9 157; ICD10 C25)	1	36	33	43	38	22	9
	2	34	30	42	20	20	18
	3	51	51	35	34	28	19
	4	51	41	45	25	29	29
	5	48	40	41	36	37	23
	6	41	50	50	57	29	38
	7	53	65	59	39	29	34
	All Scotland	46	44	43	33	29	24
Malignant melanoma of skin (ICD9 172; ICD10 C43)	1	16	10	24	3	15	13
	2	5	27	10	9	10	13
	3	13	13	16	16	8	9
	4	8	10	12	11	11	11
	5	14	17	14	11	7	11
	6	11	7	24	12	21	6
	7	5	8	10	2	3	7
	All Scotland	10	13	15	11	10	10

Table A.42 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.

Deprivation	Death rate per 100,000 population						
	men			women			
	1980-82	1991-92	2000-02	1980-82	1991-92	2000-02	
Mesothelioma	1	6	8	9	2	0	2
(ICD9 158, 163; ICD10 C45)	2	4	13	12	1	0	3
	3	4	7	12	1	1	2
	4	5	13	17	1	1	3
	5	12	10	17	4	2	2
	6	12	11	16	1	0	3
	7	13	3	18	8	7	0
All Scotland		7	10	15	2	1	2
Malignant neoplasm of cervix uteri	1	0	0	0	27	26	8
(ICD9 180; ICD10 C53)	2	0	0	0	32	24	13
	3	0	0	0	54	33	16
	4	0	0	0	54	42	26
	5	0	0	0	57	57	34
	6	0	0	0	52	62	32
	7	0	0	0	79	75	46
All Scotland		0	0	0	51	43	24
Malignant neoplasm of ovary	1	0	0	0	50	73	73
(ICD9 183.0; ICD10 C56)	2	0	0	0	76	73	61
	3	0	0	0	77	68	55
	4	0	0	0	80	68	58
	5	0	0	0	57	57	54
	6	0	0	0	67	91	46
	7	0	0	0	42	74	67
All Scotland		0	0	0	70	70	57
Malignant neoplasm of prostate	1	28	43	33	0	0	0
(ICD9 185; ICD10 C61)	2	28	34	27	0	0	0
	3	22	22	35	0	0	0
	4	23	26	27	0	0	0
	5	24	20	34	0	0	0
	6	18	34	32	0	0	0
	7	40	29	36	0	0	0
All Scotland		24	27	32	0	0	0

Table A.43 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.

Deprivation	Death rate per 100,000 population						
	men			women			
	1980-82	1991-92	2000-02	1980-82	1991-92	2000-02	
Malignant neoplasm of testis (ICD9 186; ICD10 C62)	1	15	8	2	0	0	0
	2	13	2	6	0	0	0
	3	6	2	4	0	0	0
	4	11	3	2	0	0	0
	5	5	7	1	0	0	0
	6	6	2	3	0	0	0
	7	12	0	0	0	0	0
All Scotland	9	3	3	0	0	0	
Malignant neoplasm of kidney, renal pelvis, ureter and bladder (ICD9 188, 189.0-189.2, 189.9; ICD10 C64-67)	1	38	52	45	10	26	2
	2	49	58	50	27	36	19
	3	64	51	50	25	27	18
	4	61	56	52	30	32	24
	5	62	57	54	35	29	23
	6	73	63	50	33	27	18
	7	78	90	70	42	29	49
All Scotland	61	58	52	29	29	21	
Malignant neoplasm of brain (ICD9 191; ICD10 C71)	1	40	47	48	25	34	52
	2	42	44	43	25	29	25
	3	41	59	51	27	27	26
	4	48	51	47	36	32	31
	5	45	50	46	32	27	25
	6	42	38	54	30	42	35
	7	48	43	19	29	23	19
All Scotland	44	49	46	30	30	29	
Malignant neoplasm of thyroid gland (ICD9 193; ICD10 C73)	1	6	0	0	5	0	0
	2	1	2	1	6	2	1
	3	2	0	3	2	2	2
	4	1	1	2	3	0	1
	5	1	5	3	1	3	0
	6	2	0	0	3	5	4
	7	0	3	5	2	0	12
All Scotland	2	2	2	3	2	2	

Table A.44 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.

Deprivation	Death rate per 100,000 population						
	men			women			
	1980-82	1991-92	2000-02	1980-82	1991-92	2000-02	
Hodgkin's disease	1	2	0	7	2	0	2
(ICD9 201; ICD10 C81)	2	9	1	3	8	5	3
	3	15	5	6	7	2	0
	4	13	3	3	8	7	1
	5	12	12	2	4	0	0
	6	7	1	6	9	9	0
	7	6	5	5	4	3	3
All Scotland	11	4	4	6	4	4	1
Other lymphomas	1	8	32	31	5	15	26
(ICD9 200.2, 202;	2	25	33	29	12	33	24
ICD10 C82-85, C96.0)	3	21	32	34	11	23	18
	4	21	29	28	12	23	18
	5	26	28	30	19	24	20
	6	26	25	28	21	18	20
	7	13	37	34	25	31	29
All Scotland	22	30	30	14	24	21	21
Myelomas and leukemias	1	54	19	38	32	15	22
(ICD9 203-208;	2	51	28	26	29	26	23
ICD10 C90-95)	3	42	44	41	27	26	32
	4	36	30	29	34	26	25
	5	41	35	44	31	34	26
	6	46	40	41	26	33	21
	7	61	43	24	14	33	17
All Scotland	44	35	35	29	28	25	25
Other malignant neoplasm*	1	76	93	71	82	52	72
	2	102	104	104	84	114	72
	3	115	147	129	107	94	89
	4	115	137	154	106	80	123
	5	142	171	174	125	111	99
	6	161	234	207	103	108	146
	7	153	237	298	101	152	177
All Scotland	123	154	153	104	98	107	107

Table A.45 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each deprivation category. Men and women aged 0-64, Scotland 1980-82, 1991-92 & 2000-02.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, female breast, colon and rectum and stomach.

	Deprivation categories	Rate ratio relative to deprivation categories 3-5					
		men			Women		
		1980-82	1991-92	2000-02	1980-82	1991-92	2000-02
Malignant neoplasm of oesophagus	1-2	0.92	0.63	0.71	0.78	0.87	0.48
	6-7	1.36	1.55	1.17	1.39	0.98	1.09
Malignant neoplasm of liver and gallbladder	1-2	0.75	1.26	0.47	0.95	1.08	0.24
	6-7	0.99	1.66	1.79	1.91	1.68	0.98
Malignant neoplasm of pancreas	1-2	0.69	0.69	1.05	0.83	0.68	0.62
	6-7	0.89	1.25	1.31	1.65	0.95	1.56
Malignant melanoma of skin	1-2	0.79	1.72	1.01	0.56	1.32	1.28
	6-7	0.80	0.58	1.36	0.63	1.66	0.61
Mesothelioma	1-2	0.68	1.11	0.73	0.76	0.00	1.19
	6-7	1.88	0.83	1.08	1.99	2.70	0.72
Malignant neoplasm of cervix uteri	1-2				0.56	0.58	0.47
	6-7				1.13	1.59	1.51
Malignant neoplasm of ovary	1-2				0.92	1.11	1.16
	6-7				0.79	1.31	0.96
Malignant neoplasm of prostate	1-2	1.24	1.62	0.91			
	6-7	1.13	1.41	1.06			
Malignant neoplasm of testis	1-2	1.74	0.92	1.82			
	6-7	1.07	0.38	0.78			
Malignant neoplasm of kidney, renal pelvis, ureter and bladder	1-2	0.74	1.02	0.94	0.73	1.13	0.63
	6-7	1.21	1.34	1.11	1.23	0.95	1.37
Malignant neoplasm of brain	1-2	0.91	0.83	0.92	0.79	1.07	1.18
	6-7	0.98	0.75	0.87	0.93	1.21	1.03
Malignant neoplasm of thyroid gland	1-2	1.63	0.73	0.25	2.72	0.70	0.51
	6-7	0.65	0.75	0.67	1.18	2.04	5.09
Hodgkin's disease	1-2	0.51	0.19	1.13	0.94	1.05	5.71
	6-7	0.47	0.46	1.55	1.07	1.92	2.01
Other lymphomas	1-2	0.89	1.09	0.96	0.73	1.18	1.32
	6-7	0.95	1.00	0.98	1.65	0.98	1.25
Myelomas and leukemias	1-2	1.32	0.70	0.82	0.98	0.80	0.81
	6-7	1.31	1.12	0.95	0.69	1.17	0.69
Other malignant neoplasm	1-2	0.77	0.67	0.63	0.75	1.02	0.68
	6-7	1.30	1.58	1.61	0.92	1.35	1.49

Table A.46 Mortality rate ratios for specified neoplasms for deprivation categories relative to categories 3-5. Men and women aged 0-64, Scotland 1980-82, 1991-92 and 2000-02.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, female breast, colon and rectum and stomach.

Region	Deprivation category (DEPCAT)						
	1	2	3	4	5	6	7
Highlands and Islands	2	18	43	34	3	1	0
North East	4	35	21	35	2	3	0
Clydeside conurbation	7	7	10	14	20	24	18
Central	4	13	16	38	23	5	0
East	7	14	31	25	13	6	4
South West	2	10	30	28	19	10	0
South East	13	17	22	32	8	4	4
Major cities							
Aberdeen	5	32	7	44	5	7	0
Dundee	7	16	4	11	26	19	16
Edinburgh	18	18	13	29	9	7	6
Glasgow	2	6	9	10	10	27	37
All Scotland	6	14	22	25	15	11	7

Table A.47 The distribution of 1981 deprivation categories across major regions and cities of Scotland. Figures are percentages of area population.

Region	Deprivation category (DEPCAT)						
	1	2	3	4	5	6	7
Highlands and Islands	2	12	42	39	4	2	0
North East	14	29	22	24	10	2	0
Clydeside conurbation	7	7	10	14	15	25	21
Central	3	16	19	42	17	3	0
East	5	17	25	30	11	12	0
South West	1	12	27	29	22	8	1
South East	10	14	28	24	18	2	3
Major cities							
Aberdeen	13	28	10	26	17	6	0
Dundee	8	13	9	17	7	46	0
Edinburgh	14	13	23	20	21	3	6
Glasgow	0	4	5	17	7	26	41
All Scotland	6	14	22	25	15	11	7

Table A.48 The distribution of 1991 deprivation categories across major regions and cities of Scotland. Figures are percentages of area population.

SIMD income quintile		Cause of death						
		Malignant neoplasm of oesophagus (C15)	Malignant neoplasm of liver and gallbladder (C22-24)	Malignant neoplasm of pancreas (C25)	Malignant melanoma of skin (C43)	Mesothelioma (C45)	Malignant neoplasm of prostate (C61)	Malignant neoplasm of testis (C62)
Least deprived	5	54	10	43	14	14	29	3
	4	56	9	38	16	9	35	4
	3	76	28	42	16	14	31	2
	2	75	30	44	14	20	31	2
Most deprived	1	94	32	48	13	17	31	3
All		70	22	43	15	15	32	3

Table A.49 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Men aged 0-64, Scotland 2000-02.

SIMD income quintile		Cause of death						
		Malignant neoplasm of kidney, renal pelvis, ureter and bladder (C64-67)	Malignant neoplasm of brain (C71)	Malignant neoplasm of thyroid gland (C73)	Hodgkin's disease (C81)	Other lymphomas (C82-85, C96.0)	Myelomas and leukemias (C90-95)	Other malignant neoplasms*
Least deprived	5	42	48	0	4	32	29	87
	4	42	48	2	4	31	41	117
	3	54	44	2	5	28	28	143
	2	61	46	3	4	27	34	167
Most deprived	1	61	46	3	4	33	43	268
	All	52	46	2	4	30	35	153

Table A.50 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Men aged 0-64, Scotland 2000-02.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, colon and rectum and stomach.

SIMD income quintile		Cause of death						
		Malignant neoplasm of oesophagus (C15)	Malignant neoplasm of liver and gallbladder (C22-24)	Malignant neoplasm of pancreas (C25)	Malignant melanoma of skin (C43)	Mesothelioma (C45)	Malignant neoplasm of cervix uteri (C53)	Malignant neoplasm of ovary (C56)
Least deprived	5	11	7	16	13	3	14	62
	4	13	11	18	16	1	17	61
	3	25	14	21	6	3	22	55
	2	29	22	30	6	4	30	51
Most deprived	1	17	22	35	9	1	36	57
	All	19	15	24	10	2	24	57

Table A.51 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Women aged 0-64, Scotland 2000-02.

SIMD income quintile	Cause of death							
	Malignant neoplasm of kidney, renal pelvis, ureter and bladder (C64-67)	Malignant neoplasm of brain (C71)	Malignant neoplasm of thyroid gland (C73)	Hodgkin's disease (C81)	Other lymphomas (C82-85, C96.0)	Myelomas and leukemias (C90-95)	Other malignant neoplasms*	
Least deprived	5	13	33	3	3	18	22	78
	4	18	27	1	0	18	26	78
	3	22	33	1	1	16	29	102
	2	22	29	1	1	23	22	116
Most deprived	1	32	24	5	1	29	26	165
All		21	29	2	1	21	25	107

Table A.52 Age standardised mortality (per 1,000,000 population) for specified neoplasms within each SIMD deprivation quintile. Women aged 0-64, Scotland 2000-02.

*Excludes those listed above plus malignant neoplasms of the trachea, bronchus and lung, female breast, colon and rectum and stomach.